HYXIPOWER

#### **APP Configuration**



# **APP Configuration 1 – Registration**



#### **APP Configuration**



# APP configuration 2 - Near-end Configuration



3

HYXIPOWER



#### Step 2 :

Scan the QR code of the Data Communication Stick. If failed ,click the Manually Connect.



#### **APP configuration 2 - Near-end Configuration** HYXIPOWER **iPhone Operation System** APP **WLAN** APP < Device Wi-Fi Connection Password: Keep the APP running. < Settings WLAN Edit **Device Wi-Fi Connection** < hyxi0607 or Please select device WiFi to connect in Settings - WLAN, device Wi-Fi usually starts with DMU/DCS/MI Example 12345678 Please select device WiFi to connect in Settings - WLAN, device Wi-Fi usually starts with DMU/DCS/MI Example Go to the WLAN page WLAN manually. Current Wi-Fi Return to MY NETWORKS CS-6070123380002 Current Wi-Fi APP manually. How To Connect? ۵ 🕈 🛈 dahuaguest How To Connect? 🙈 Not Connected OTHER NETWORKS Devices Connected To The Wifi In The Past (Only The Most Recent 10 Are Displayed) Devices Connected To The Wifi In The Past (Only The Most Recent 10 Are Displayed) dahuavin-new A = () DCS-60701233800024 ۵ 🗢 🕯 AI-31701233300051 DMU-60101233700111 . ⇒ () E12-HYXi E DMU-60101233700111 E DMU-60201233700013 HiBoardaaf0 . . () a DCS-60701233800024 DCS-60701233800024 HP-Print-76-LaserJet Pro MFP . ♥ ① AI-31701233300051 HP-Print-8B-LaserJet Pro MFP ▲ 🗢 🕕 huayuxin.vip A = (1) hyxipower • • 1 . . () Imouvip-new 5

# **APP configuration 2 - Near-end Configuration**

#### Android operation system

APP	WLAN				APP
16:20 * #12 @ 1, E #	$\leftarrow$		Э	Password:	< Device Wi-Fi Connection
Please select device WI-Fi to connect in Settions - WI AN Device WI-Fi usually	WLAN			hyxi0607 or 12345678	<ul> <li>Please select device WiFi to connect in Settings - WLAN, device Wi-Fi usually starts with DMU/DCS/MI Example</li> </ul>
starts with DMU/DCS/MI. Example	WLAN		D	Return to APP manually.	Current Wi-Fi
Surrent WI-FI Go to Set >	Network acceleration		>		EDCS-60701233800024 Switch Wi
	Saved networks				Next
	E12-HYXi (140.50)		>		
	Available networks		0		
	DCS-60703800024		3		
	🗢 huayuxin.vip 🚳		2		
	hyxipower 30		>		
	HP-Print-8et Pro MFP		3		
	TP-LINK_004		>		
	TP-LINK_001	8	3		

6

HYXIPOWER

#### 

## APP Configuration 2 - Near-end Configuration

HYXIPOWER

7

Step 4 : Quick Settings

Home U - O Marker Course Partners Course Dockee Course Partners À Alarm Function	13-43 * If Cli to to to the set ings C Quick settings Dece of the settings Dece of th	1343     Image: Constraint of the sector of th	Keep the default setting of meter <mark>Grid type:</mark>
Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Communication Details     Image: Communication Details       Image: Communication Details     Image: Commun	Inventer Manual Sex (socialisations) Model: HYX-HBK-HS	Meter           *Orid Type         Single-phase >           Meters Configured              •Ocnfigure Meters            Meter Address         Installation            1         Orid Side <u>©</u>	Single-phase Three-phase
	Next	Next	



## APP Configuration 2 - Near-end Configuration

HYXIPOWER

Step 7 : If there is a need to inject into the grid, enable it ,set the corresponding power value; If not ,enable it ,set as 0.



## **APP Configuration 2 - Near-end Configuration**

HYXIPOWER

HYXIPOWER

#### Step 8 :

Hyxipower SIM card : APN : flolive.net



#### **APP Configuration**



# **APP Configuration-Create Plant for Owner**

#### Step 1:

Disconnect with the Data Communication Stick. Connect your phone with internet.

# 

HYXIPOWER

HYXIPOWER

## **APP Configuration-Create Plant for Owner**

Step 2:

#### Step 3:





## **APP Configuration-Create Plant for Owner**

ep 5: Photovoltaic installed capacity : otal power of PV panels.	Step 6:	
1626 e 까 16 Cli 14 Cli 18 Cli	1746 ⊂ # < Add1	s in di ta ta mo
Att Droce Building Back Ma	And Device Revenue for	Basic Info Price Config
*Plant Name 785049814@qq.com202 4-08+15	Note: Changes to el currency units, pric immediately. Howe calculation rules for calculation rules for	ectricity rate types, is, etc., will take effect ver, the profit the corresponding
*Plant Type Household Use >	power plants will tai	e effect the next day.
Region Hang Zhou Shi, Bin Jiang 🖗	Tariff Type	Fixed Price >
Detailed O g Shang Lu, Bin J Ou, Hang Zhou	Currency Revenue per	CNY >
Address Shi, Zhe Jiang Sheng,	kWh	0.0
*Time Zone Chargeng Mang Kong > S.A.R., Urumqi		
Photovoltaic installed & KWp+ capacity		
Previous	Previous	Done
Previous	= <	2

16

HYXIPOWER

### **APP Configuration-Create Plant for Owner**

HYXIPOWER



Succeed